

Windows Driver Installation Guide

Do not connect the printer to your computer's USB port until step #10

Please contact your software provider to confirm if the use of our driver is required for their ticketing software. We recommend that the print driver is installed by either your system administrator or IT support staff.

- 1. Save the Printer_drivers.zip on your desktop
- 2. Unzip the driver package on the desktop
- 3. If you have a Windows 8 system then go to <u>page 10</u> for install guide, otherwise continue following the steps.
- 4. On 32-bit systems go to the directory where you saved the printer_drivers.exe file and double left click on the file.

On 64-bit systems you will need to right click on the file and then click on Run as administrator.



- 5. You may get a security warning asking "Do you want to run this file?" or something similar. Click on the Run icon.
- 6. You may see the below screen show up and then disappear from your desktop screen. This is normal. If the screen shows "Press any key to continue..." then press any key.



	C:\Windows\system32\cmd.exe		x
88111	subdirectory or file C:\Boca_Systems_Printer_Drivers already exists subdirectory or file C:\Boca_Systems_Printer_Drivers\amd64 already File(s) copied File(s) copied File(s) conied	exists.	Ē
	File(s) copied File(s) copied File(s) copied File(s) copied File(s) copied		
	File(s) copied File(s) copied File(s) copied File(s) copied File(s) copied		
11	File(s) copied		
			-

- 7. For 64-bit systems please go to step # 10. For 32-bit system continue the steps below.
- 8. When the following dialog is seen, click on the Next button.

Welcome to the Boca Systems Printer Driver Installer! This wizard will install the Boca Systems printer drivers on this PC to make printer installation step easier.
To continue, click Next.

9. When the installer has finished putting the necessary driver files on your system, the below menu box will be displayed. Click on the Finish button.

Boca Systems Printer Driver Ins	The drivers are no install USB printer ports use "Add Pri The device driver installation wi software for your hardware devi the software you currently have	w on your PC. To turn it on. For other nter Wizard". zard did not update any of your ces because it was not better than installed.
	Driver Name	Status
	V Boca Systems Inc. Print	Ready to use
	< Back	Finist Cancel

- 10. Connect the USB cable to the host computer and power on the printer. If you are connecting to the printer via Ethernet or Wi-Fi then skip to <u>step # 13</u>.
- 11. Depending on your system, a notice box similar to the following picture should appear. Click on the Click here for status. This will enable to see the status of the driver software installation.





Image is from Windows 7

The below Driver Software Installation pop up window will show up on a Windows 7 system. Click on the <u>Skip obtaining driver software from Windows Update</u> to help speed up the install process.

Driver Software Installation	800	x
Installing device driver soft	ware	
FGL46 Thermal Printer	Searching Windows Update	
Obtaining device driver software fro Skip obtaining driver software from	m Windows Update might take a while. <u>Windows Update</u>	
	(Close

When the below window shows up just click on the Yes button



12. The correct USB Printing Support and drivers will automatically install. The image below is of a 200dpi driver being installed on a Windows 7 system. The driver name may vary due to the printer's DPI and logic board level. Go to Page 8.

1	Driver Software Installation		23
	Your device is ready to use		
	USB Printing Support Boca FGL 26/46 200 DPI	Ready to use Ready to use	
			Close

Above image will vary based on DPI and software level of printer

Steps 13 through 24 are for Ethernet or Wi-Fi connection only.

- 13. The self-test ticket that is printed when the TEST button will show the IP address that the printer has.
- 14. Open up the "Printer and Faxes" (XP) or "Devices and Printer" (Windows 7) Menu.
- 15. Click on "Add a Printer". In XP the Add Printer Wizard show up, click on the Next button.
 - a. XP Click on "Local printer attached to this computer".
 - b. Windows 7 Click on "Add a local printer"





16. When the printer port menu comes up. Click on "Create a new port:" choose "Standard TCP/IP Port. Click on the Next button. XP – When the TCP/IP Port Wizard menu comes up, click on the Next button

composes communicate war printers anough ports.	Choose a printe	r port
Select the port you want your printer to use. If the port is not listed, you can create a new port.	A printer port is a typ	e of connection that allows your computer to exchange information with a
Use the following port: LPT1: (Recommended Printer Port)	🔘 Use an existing po	LPT1: (Printer Port)
Note: Most computers use the LPT1, port to communicate with a local printer.	Oreate a new port	:
The connector for this port should look something like this.	Type of port:	Standard TCP/IP Port
	Type of port:	Standard TCP/IP Port
The connector for this point should alcone some ring like this:	Type of port:	Standard TCP/IP Port
Create a new pot: Type of port: Standard TCP/IP Port	Type of port:	Standard TCP/IP Port

Windows XP

Windows 7

Type in the IP address that is shown on the self-test ticket in the "Hostname or IP address:" field. When typing in the address don't include the leading zeroes (If IP ADD=189.010.000.002 then type in 189.10.0.2). You also have the option of typing in a specific Port name or leave as the IP address. Click on the Next button.

Add Standard TCP/IP Printer Add Port For which device do you want	Port Wizard	
Enter the Printer Name or IP a	ddress, and a port name for the desired device.	¥
Printer Name or IP Address: Port Name:	Type_IP_address_here	
	< Back Next>	Cancel

Add Printer

Type a printer hostname or IP address

Device type:

Hostname or IP address:

Type_JP_address_here

Port name:

Query the printer and automatically select the driver to use

Next Cancel

Windows 7

Windows XP



Windows XP system will show the below screen (no action is needed). For both XP and Windows is may take a few minutes for the system to move on to the next screen. This will vary depending on system and Network speeds.

9	Add Printer
	Detecting TCP/IP port
	Detecting the TCP/IP port Windows will automatically move to the next page when the detection is done.
	Next Cancel

Windows 7

17. When the Additional Port information menu comes up click on the Next button. XP – When the Wizard menu comes up click on Finish.

	CP/IP PTIMET POIT WIZOIU	
Additional Por	t Information Required	
The device	could not be identified.	-
The detected de	vice is of unknown type. Be sure that:	
 The device is 2. The address of 	properly configured. on the previous page is correct.	
Fither correct the	address and perform another search on the network bu returning to the	
	address and periorin another sedien on the network by retaining to the	
previous wizard p	bage or select the device type if you are sure the address is correct.	1
previous wizard p	page or select the device type if you are sure the address is correct.	1
previous wizard p	age or select the device type if you are sure the address is correct.]
previous wizard p	age or select the device type if you are sure the address is correct.] : (
previous wizard p Device Type Standard	age or select the device type if you are sure the address is correct.) : (
Device Type Standard	age or select the device type if you are sure the address is correct.) : :
Device Type Standard Custom	age or select the device type if you are sure the address is correct. Generic Network Card Settings) I
Device Type Standard Custom	age or select the device type if you are sure the address is correct. Generic Network Card	
Device Type Standard Custom	age or select the device type if you are sure the address is correct. Generic Network Card Settings Cancel	; ; ;



Windows XP

Windows 7

18. When the Install print driver menu comes up: Under Manufacturer select "Boca". Under Printers select the driver that matches your printer's protocol (FGL or PCL) and DPI. Click on the Next button.

Add Printer Wizard	
Install Printer Software The manufacturer and model determine which printer software to use.	Install the printer driver
Select the manufacturer and model of your printer. If your printer came with an installation disk, click Have Disk. If your printer is not listed, consult your printer documentation for compatible printer software.	Choose your printer from the list. Click Windows Update to see more models. To install the driver from an installation CD, click Have Disk.
Manufacturer Printers AST Boca FGL 24/44 600 DPI AT&T Boca FGL 24/44 000 DPI Boca Boca FGL 24/44 000 DPI Boca Boca FGL 26/46 200 DPI Brother Boca FGL 26/46 200 DPI Bull Boca FGL 26/46 200 DPI Windows Update Have Disk This driver is digitally signed. Windows Update Image: This driver is digitally signed. Windows Update	Manufacturer Printers Adobe Boca FGL 26/45 200 DP1 Boca Boca FGL 26/45 200 DP1 Brother Boca FGL 26/45 200 DP1 Canon Boca FGL 26/45 200 DP1 This driver is digitally signed. Windows Update Tell me why driver signing is important
K Back Next > Cancel	Next Cancel

Windows XP

Windows 7

Your selection of drivers will vary from what is shown in above images



19. When the version driver menu comes up click on the Next button.

Add Printer Wizard	22
Use Existing Driver A driver is already installed for this printer. You can use or replace the existing driver.	Search and Printer
Boca FGL 26/46 300 DPI	Windows detected that a driver is already installed for this printer.
Do you want to keep the existing driver or use the new one?	
• Keep existing driver (recommended)	Use the driver that is currently installed (recommended)
O Replace existing driver	Replace the current driver
< Back Next > Cancel	Next Cancel

Windows XP

Windows 7

Your driver name will vary from what is shown in above images

20. When the printer name menu comes up you may keep the default name or type in a different name. Click on the Next button.

dd Printer Wizard			2
Name Your Printer	G 📾 Add Printer		
You must assign a name to this printer.	Type a printer name		
Type a name for this printer. Because some programs do not support printer and server name combinations of more than 31 characters, it is best to keep the name as short as possible.	Printer name: Boca	FGL 26/46 300 DPI	
Printer name:	This printer will be installed wi	ith the Boca FGL 26/46 300 DPI driver.	
Boca FGL 26/46 300 DPI (Copy 2)			
Do you want to use this printer as the default printer?			
⊖ Yes			
⊙ No			
< Back Next> Cancel			Next Cancel

Windows XP

Windows 7

Your driver name will vary from what is shown in above images

21. When the Printer Sharing menu comes up you may choose to share this printer or not. Click on the Next button.

Id Printer Wizard Printer Sharing You can share this printer with other network users	🕞 🖶 Add Printer
If you want to share this printer, you must provide a share name. You can use the suggested name or type a new one. The share name will be visible to other network users.	Printer Sharing If you want to share this printer, you must provide a share name. You can use the suggested name or type a new one. The share name will be visible to other network users.
 Do not share this printer 	Do not share this printer
O Share name: BocaFGL2	Share this printer so that others on your network can find and use it
	Share name:
	Location:
	Comment:
< Back Next > Cancel	Net

Windows XP

Windows 7



- 22. On the last menu you have the option to choose if you want to make the BOCA your default printer.
 - a. XP Click on the Next button.
 - b. Windows 7 **Do not click on Print a test page**. Click on the Finish button.

dd Printer Wizard Print Test Page To confirm that the printer is installed properly you can print a test page	Add Printer
	You've successfully added Boca FGL 26/46 300 DPI (Copy 2)
O yes	Set as the default printer
⊗ No	
	To check if your printer is working properly, or to see troubleshooting information for the printer, print a
	tert page. Print a test page
< Back Next > Cancel	Finish Cancel
indows XP	Windows 7

23. XP - When the completing Add Printer Wizard menu comes up click on Finish button.



Windows Test Page (XP & Win7)

The following will guide you through doing a Windows test page to confirm the driver is communicating with the printer. You will want to make sure the printer has stock loaded and is able to print a self-test ticket when the TEST button is pressed. The printing of this ticket confirms that the printer is working properly mechanically. If the printer is not able to print a self-test ticket, then consult the "4.0 Installation section of the user manual.

1. On a Windows XP system, go to the Printer and Faxes page and on a Windows 7 system go to the Devices and Printers page.

MDMU		Microsoft Word 2010	My Documents
XPMUser		Microsoft Outlook 2010	9 My Recent Documents 7 My Pictures
Internet Explorer Internet Explorer	Wy Documents My Recent Documents My Computer Control Panel Set Program Access and Defaults Experimentation My Control Panel My Defaults	Implementation Docume Implementation Directory Implementation Directory	er Printers and Faxes Panel Printers Disport Printers and Printers Printers Disport Printers
Riles and Settings Transfer Wizard WyperTerminal	Shows installed printers and fax printers and help Help and Support Search P Run	Google Earth Vi Defaux Design IDAutomation Barcode Label Design ITunes	w and manage devices, printers, and print jo
All Programs 🕨	😚 Windows Security	All Programs	
	🖉 Log Off	Search programs and files	vn)
👪 start		🚱 🙆 🚞 💽	

Windows XP

Windows 7

2. When the Printer and Faxes or Devices and Printers page comes up, right-click on the BOCA driver that is being used. When the drop down window pops up, left click on Properties (XP) or Printer properties (Windows 7). Your selection of driver may vary from what is shown in the below images.







Windows 7



3. Once the driver's properties menu comes up click on the Print Test Page button. Your drive properties may vary from what is shown in the below.

💩 Boca FGL 26/46 300 DPI (f	from TED-PC)Properties 🛛 🕐 🚺	Boca FGL 2	26/46 200 DPI Properties	2	×
General Sharing Ports Advan	ced Device Settings	General Sha	aring Ports Advanced C	olor Management Security De	vice Settings
Boca FGL 26/46 300	DPI (from TED-PC)		Boca FGL 26/46 200 DF	ן ק	
Location:		Location:			
Comment:		Comment			
Modet: Boca FGL 26/46 300 Features Color: No	DPI Paper available:	Model:	Boca FGL 26/46 200 DP	I	
Double-sided: No	Letter	Features Color: N	lo	Paper available:	
Staple: No Speed: Unknown Maximum resolution: 300 dpi	V	Double- Staple: N Speed: L Maximu	sided: No Io Jnknown m resolution: 200 dpi	Letter	•
Printing I	Preferences Print Test Page		Prefe	erences Print Test	t Page
	OK Cancel Apply		(OK Cancel	Apply

Windows XP

Windows 7

4. The printer should proceed with printing out a Windows Test page. The printing of this ticket confirms the print driver is communicating with the printer.

Below are some samples printouts for reference only and your test page may look different.

Above is f	rom	sey thetelidrity and: files -u 200	IDRY_PHelp file: UN 00Driver version:-6: PP naowsa∉nvironment: Wi	IDBVL Driver name: UN ca2000Bata file: bo IDRVbMConfig file: UN	BUU9 Port name(s): US W Data format: RA Share name: Drinte	ፍሬር 20%/40612000 በመጫበድ: Bo the ፍሬር 20%/40612000 በመጫበድ: Bo With Color subbort: No ድ	多: pM Saybard 大式でお Time: 3: 2 空ード、 Computer name: T声 白	solution and the second s	200 DPI on TED-PC.	congratulations!	k	Fanguerrandest I	Vindows w		
	3g∉. This is the enc	¥Ş३\STDELT:YPPEL/GDDWS\SYS १\Ş3\STDSC:YPPMi/GDDWS\SYS १\Ş3\STDSC:YPMCi/GDDWS\SYS	topurs/systems/sys	iver Additional file مع عارفت Additional file	Help File: Driver version: Environment:	Driver name: Data file:	Port name(s): Data format:	10 Printer name:	2013 Submitted Time: Computer name:	younten the tive for and por	, h260/e4/633fr nyeaut kyani msetaal 300 DPI on TED-	Congratulations	address 15c	-1	
	l of the printer pu	tem32\spool\DR1X64	ttem322/spool/DR1X64	s used by this.dr them?50(3:plo38(DR1)/61	UNIDRV.HLP 6.00 Windows x64	UNIDRV.DLL boca300.GPD UNTDRVUI.DLL	USB008 RAW	Boca FGL 26/46DB Boca FGL 26/46DB	3:39:46 PM 9/30/: TED-PC	theslattridage.cribes (Teteli sy ounf ce oncet yield. PC.		Printak	Windo	

Above is from a 300DPI FGL printer with 3.25" x 6.5" stock

If you were not able to install the BOCA print driver using the above steps, please take a screenshot of the "printers and drivers" dialog and email it to our support team at support@tls-bocasystems.com



Windows 8 Install Guide

Do not connect the printer to your computer's USB port until step #3

1. Go to the directory where you saved the printer_drivers.exe file and right click on the file. Click on Run as administrator.

C:\boca Application Tools								- 🗆 🗙
File Home Share View Manage								~
Copy Paste Shortcut Cippbard	e New folder	Pr	Den Charlen Select all	ion				
2 🗓 Ŧ								
🛞 🍥 👻 ↑ 퉳 ト This PC ト OS (C:) ト boca					~	Ç	Search boca	Q
🔀 Boca Systems \land	Name		Date modified	Type Size				
🖳 This PC	boca		4/23/2014 2:16 PM	File folder				
hesktop	printer drivers.exe		4/23/2014 2:04 PM	Application 251 KE	1			
Documents	Los (Open					
🗼 Downloads		9	Run as administrator					
Music			Troubleshoot compatibility					
Pictures			Pin to Start					
Videos	10	4	Scan with VIPRE					
Anne			Pin to Taskbar					
hora			Conda					
dell			Send to F					
Drivers			Cut					
FGLPrintMonitor archive			Сору					
🔐 inetpub			Paste					
👪 Intel			Create shortcut					
👪 Keil			Delete					
🍌 Keilarm			Rename					
J MSOCache			Properties					
👪 NXPMCU			riopenes					
DA PA								
PerfLogs								
PHYTEC								
Program Files								
Program Files (x86)								
ProgramData								
Ju Sott i hinks								10mm
2 items 1 item selected 250 KB								8==

The directory where you saved your file may differ than what is shown in above image

2. You may see the below screen show up your desktop screen. This is normal. If the screen shows "Press any key to continue..." then press any key.



The Published name: oem87.inf shown in the image above may differ on your computer

- 3. Connect the USB cable to the host computer and power on the printer. If you are connecting to the printer via Ethernet or Wi-Fi then skip to <u>step # 7</u>.
- 4. Click on the device icon that shows up on your desktop task bar.





5. The correct USB Printing Support and drivers will automatically install. The image below is of a 300dpi driver being installed. The driver name may vary due to the printer's DPI and logic board level.

Device Setup	×
Installing Boca	FGL 26/46 300 DPI
	Please wait while Setup installs necessary files on your system. This may take several minutes.
	<i>₽</i>
	Close

Installing dev	ice
0	Please wait while Setup installs necessary files on your system. This may take several minutes.

6. The above screens will disappear once the driver is installed. Go to page 15.

Steps 13 through 24 are for Ethernet or Wi-Fi connection only.

- 7. The self-test ticket that is printed when the TEST button will show the IP address that the printer has.
- 8. 1- Right-click the bottom corner of the Start screen. 2- Click All apps icon. 3 Click Control Panel.



9. When the Control Panel menu comes up, click on **View devices and printers** located under Hardware and Sound.





10. When the Devices and Printers page comes up click on "Add Printer". When the below menu comes up click on "The printer that I want isn't listed".

Printer Name	Address
NPI33580F (HP Lasedet P2055dn)	http://10.0.2.159:3910
NPIE76C81 (HP LaserJet 400 M401dne)	http://jresu:221:b/ft:feb4:/b03%14j:b5001/ http://10.0.4.246:3911/

11. Click on "Add a printer using a TCP/IP address or hostname" radio button. Click on the Next button

Find a printer by other options	
 Select a shared printer by name Example: \\computername\printername or http://computername/printers/printername/.printer Add a printer using a TCP/IP address or hostname Add a Bluetooth, wireless or network discoverable printer Add a local printer or network printer with manual settings 	Browse
	Next Cancel

12. Under Device type: select "TCP/IP Devices". Type in the IP address that is shown on the self-test ticket in the "Hostname or IP address:" field. When typing in the address don't include the leading zeroes (If IP ADD= 189.010.000.002 then type in 189.10.0.2). You also have the option of typing in a specific Port name or leave as the IP address. Click on the Next button.

Type a printer nostrian	ne or IP address	
Device type:	TCP/IP Device	,
Hostname or IP address:	Type_IP_Address_Here	
Port name:	l	
Query the printer and auto	pmatically select the driver to use	



13. The below screen will be displayed (no action is needed). It may take a few minutes for the system to move on to the next screen. This will vary depending on system and Network speeds.

📀 🖶 Add Printer	
Detecting TCP/IP port	
Detecting the TCP/IP port Windows will automatically move to the next page when the detection is done.	
Next	Cancel

14. When the Additional Port Information menu comes up click on the Next button.

	mormation required	
The device is not	found on the network. Be sure that:	
1. The device is	turned on.	
 The network i The device is 	s connected.	
 The address of 	n the previous page is correct.	
If you think the a address and perfo device type below Device Type	ddress is not correct, click Back to return to the previous p orm another search on the network. If you are sure the ac v.	page. Then correct the Idress is correct, select th
If you think the a address and perford device type below Device Type Standard	ddress is not correct, click Back to return to the previous p orm another search on the network. If you are sure the ac v. Generic Network Card	page. Then correct the Idress is correct, select th

15. When the Install print driver menu comes up: Under Manufacturer select "Boca". Under Printers select the driver that matches your printer's protocol (FGL or PCL) and DPI. Click on the Next button.

install the printer this	er		
Choose your printe	er from the list	t. Click Windows Update to see more mo	dels.
To jostall the drive	r fram an inst	allation CD, click Have Dick	
To install the drive	r from an inst	allation CD, click Have Disk.	
Manufacturer	^ Pr	rinters	1
Boca		Boca FGL 24/44 600 DPI	
Developer		Boca FGL 26/46 200 DPI	
brother		Boca EGL 26/46 300 DPL	
Canon			
Canon Dell		Boca FGL 26/46 600 DPI	
Canon Dell	•	Boca FGL 26/46 600 DPI	
Canon Dell This driver is digitally si	y 📮	Boca FGL 26/46 600 DPI	Have Disk

Your selection of drivers will vary from what is shown in above images



16. When the version driver menu comes up click on the Next button.

📀 👼 Add Printer	
Which version of the driver do you want to use? Windows detected that a driver is already installed for this printer.	
• Use the driver that is currently installed (recommended) • Replace the current driver	
	Next Cancel

17. When the printer name menu comes up you may keep the default name or type in a different name. Click on the Next button.

Type a printe	r name		
Printer name:	Boca FGL 26/46 300 DPI (0	Copy 1)	
This printer will I	e installed with the Boca FGL 26/	46 300 DPI driver.	

Your driver name will vary from what is shown in above images

18. On the last menu you have the option to choice if you want to make the BOCA your default printer. <u>Do</u> <u>not click on the "Print a test button</u>. Click on the Finish button.

🖶 Add Printer
You've successfully added Boca FGL 26/46 300 DPI (Copy 1)
Set as the default printer
To check if your printer is working properly, or to see troubleshooting information for the printer, print a test page.
Print a test page
Finish Cancel



Windows Test Page (Win8)

The following will guide you through doing a Windows test page to confirm the driver is communicating with the printer. You will want to make sure the printer has stock loaded and is able to print a self-test ticket when the TEST button is pressed. The printing of this ticket confirms that the printer is working properly mechanically. If the printer is not able to print a self-test ticket, then consult the "4.0 Installation section of the user manual

19. 1- Right-click the bottom corner of the Start screen. 2- Click All apps icon. 3 – Click Control Panel.



20. When the Control Panel menu comes up, click on **View devices and printers** located under Hardware and Sound.





21. When the Devices and Printers page comes up, right-click on the BOCA driver that is being used. When the drop down window pops up, click on Printer properties. *Your selection of driver may vary from what is shown in the below images.*

*		C	Devices and Printers		- 🗆	×
€	🗟 « Hardware	and Sound + Devices a	nd Printers	~ C	Search Devices and Printers	Q
Add a device	Add a printer	See what's printing	Print server properties	Remove device	- 🖾	۲
 Devices (5) 						_
PL170M	Ted-Window	vs8 USB Keyboard	USB Mass Storage Device	USB Optical Mouse		
Fax	HP ePrint	Microsoft XPS Document Writer	Bocs FGL 26/45 300 DP See Set z Prim Prim	what's printing is default printer ting preferences ter properties		
			Crea Rem Trou Prop	te shortcut ove device ibleshoot verties		
8	loca FGL 26/46 30	D0 DPI State: 🥑 D	rfault Status	0 document(s) in a	lucue	
-		Model: Boca Category: Printe	FGL 26/46 300 DPI			

22. Once the driver's properties menu comes up click on the Print Test Page button. Your drive properties may vary from what is shown in the below images.

-	Boca FGL 26/46 300	DPI		
Location:				
<u>C</u> omment:				
Model:	Boca FGL 26/46 300 [)PI		
Features		100 66		
reatures		Paper available	e:	
Color: No				
Color: No Double-sid	ed: No	Letter		~
Color: No Double-sid Staple: No	ed: No	Letter		• • • • • • • • • • • • • • • • • • •
Color: No Double-sid Staple: No Speed: Unk Maximum	ed: No nown resolution: 300 dpi	Letter		< >

23. The printer should proceed with printing out a Windows Test page. The printing of this ticket confirms the print driver is communicating with the printer.



Below are some samples printouts for reference only and your test page may look different.



Above is from a 200DPI FGL printer with 2" x 5.5" stock

<mark>ขุพร DRIVER F</mark> เก.3.2\spool\DRIV เก.3.2\spool\DRIV เก.3.2\Spool\DRIV เก.3.2\Spool\DRIV เก.3.2\Spool\DRIV เก.3.2\Spool\DRIV	ADDITIONAL PR	
PROPERTIES Boca Type 2.0.2	PRINT DRIVER P Gridle260/461800 DPI DrivetsBypAeode Driver Version	
WING	 OS Envitionment: 	ows %5'
Minp	Print Processor:	JUI.
RAW	Data Format:	
USBO	Port Name(s):	01
No	Color Support:	
Воса	Friett 26/46 dato DPI	
Boca	Printenskimmen DPI	Vindow
Ted-V	/stusedName:	Vindow
10/10	Date: _	/2013
11:22	Subranted Time:	02
RTIES	PRINTER PROPE	
bAsta Herebiowi Bo	YouFbav260/46r8cblyd	Σ₩/S8.
Printer 1	Windages	ES1

Above is from a 300DPI FGL printer with 3.25" x 6.5" stock

2

If you were not able to install the BOCA print driver using the above steps, please take a screenshot of the "printers and drivers" dialog and email it to our support team at support@tls-bocasystems.com